

Vorratsliste



ROLAND STAHL



Telefon: 0421 / 6396 - 0

Fax: 0421 / 6396 - 200

E-Mail: info@roland-stahl.de

Herr Marlier	0421 / 6396-160	p.marlier@roland-stahl.de
Herr Moikow	0421 / 6396-153	l.moikow@roland-stahl.de
Frau Eggebrecht	0421 / 6396-154	d.eggebrecht@roland-stahl.de
Herr Harders	0421 / 6396-159	j.harders@roland-stahl.de
Herr Petersen	0421 / 6396-151	l.petersen@roland-stahl.de
Frau Schmidt	0421 / 6396-152	s.schmidt@roland-stahl.de

Inhaltsverzeichnis

Seite 3	Flachstahl S235JRC+C
Seite 4	Flachstahl S355J2C+C; C45+C
Seite 5	Keilstahl
Seite 6	Winkelstahl S235JRC+C
Seite 7	Sechskantstahl S235JRC+C; C45+C; 11SMN30+C; 42CrMo4+QT+C
Seite 8+9	BLK Rundstahl S235JRC+C/SH; S355J2C+C/SH; C45+C/SH; 11SMN30+C/SH; 42CrMo(S)4+QT+C/SH; 16MnCr(S)5+C/SH; 1.4301; 1.4305
Seite 10	Vierkantstahl S235JRC+C; S355J2C+C; C45+C; 11SMN30+C
Seite 11	Rundstahl S355J2; C45; 16MnCr(S)5(+TH); 42CrMo(S)4+QT; S355J2+N; C45+N
Seite 12	Vierkantstahl S355J2; 16MnCr(S)5; 42CrMo(S)4+QT
Seite 13	Flachstahl S355J2; 16MnCr(S)5; 42CrMo(S)4+QT

Blanker Flachstahl S235JRC+C EN 10277/78 HL 3/3,5 mtr oder HL 6/6,5 mtr

	2	3	4	5	6	8	10	12	15	16	18	20	25	30	32	35	40	50	60	80
6	x		x																	
8		x	x	x	x															
10	x	x	x	x	x	x														
12	x	x	x	x	x	x	x													
13		x																		
14	x				x	x														
15	x	x	x	x	x	x	x	x												
16	x	x	x	x	x	x	x	x												
18		x	x	x	x	x	x	x												
20	x	x	x	x	x	x	x	x	x	x										
22		x				x	x	x	x											
25	x	x	x	x	x	x	x	x	x	x		x								
28							x	x												
30	x	x	x	x	x	x	x	x	x	x		x	x							
32			x	x	x	x	x	x	x	x		x	x							
35		x	x	x	x	x	x	x	x	x		x	x	x						
40		x	x	x	x	x	x	x	x	x	x	x	x	x		x				
45			x	x	x	x	x	x	x	x		x	x	x		x	x			
50	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			
55				x		x	x	x	x			x	x	x						
60		x	x	x	x	x	x	x	x	x		x	x	x		x	x	x		
65			x	x	x	x	x	x	x			x								
70		x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	
75												x	x							
80		x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	
90				x	x	x	x	x	x			x	x	x			x	x	x	
100		x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x
110				x	x	x	x	x	x			x	x	x						
120			x	x	x	x	x	x	x	x		x	x	x			x	x	x	x
125								x												
130				x	x	x	x	x	x			x	x	x			x	x		
140					x	x	x	x	x			x	x	x			x			
150				x	x	x	x	x	x			x	x	x			x	x	x	
160				x	x	x	x	x	x			x	x	x			x	x		
180					x	x	x	x	x			x	x	x			x	x		
200				x	x	x	x	x	x			x	x	x			x	x	x	
220						x	x	x	x			x	x	x						
250						x	x	x	x			x	x	x			x	x		
300							x	x	x			x	x	x			x	x		
350							x	x				x	x	x				x		
400							x	x				x	x				x			
500												x		x			x			

Blanker Flachstahl S355J2C+C EN 10277/78 HL 6/6,5 mtr.

	10	12	15	20	25	30	35	40	45	50	60
20	x		x								
25	x		x	x							
30	x		x	x	x						
35				x		x					
40	x		x	x	x	x	x				
45				x	x						
50	x	x	x	x	x	x	x	x			
60	x		x	x	x	x		x		x	
70	x		x	x	x	x		x		x	x
80	x		x	x	x	x		x		x	x
90			x			x		x			
100	x		x	x	x	x		x	x	x	x
120			x	x	x					x	
140				x		x					
150				x		x		x			

Blanker Flachstahl C45+C EN 10277/8 HL 3/3,5 mtr.

	5	6	8	10	12	15	16	20	25	30	35	40	50	60
20	x	x	x	x		x	x							
25		x	x	x	x			x						
30		x	x	x	x	x		x	x					
40	x	x	x	x		x		x	x	x				
45										x				
50				x	x	x		x	x	x	x	x		
60				x	x	x		x	x	x		x	x	
70				x	x	x		x	x	x		x	x	
80				x	x	x		x	x	x		x	x	x
90								x				x		
100				x				x	x	x		x	x	
120				x		x		x	x	x		x		x
150								x		x				
200										x				

Keilstahl DIN 6880 HL 3/3,5 mtr

	3	4	5	6	7	8	9	10	11	12	14	16	18	20	22	25	28	32	36	40	45	50	
3	x																						
4		x																					
5			x																				
6				x																			
8					x	x																	
10				x		x		x															
12				x		x		x		x													
14				x			x				x												
16								x				x											
18					x				x				x										
20						x				x				x									
22											x				x								
25											x					x							
28												x											
32													x										
36														x									
40															x								
45																x							
50																	x						
56																		x					
63																		x					
70																			x				
80																				x			
90																					x		
100																						x	

Blanker Winkelstahl DIN 59370 S235JRC+C HL3/3,5 mtr.

	2	3	4	5	6	8	10
12x12	x	x					
13x13	x						
15x15	x	x					
20x20	x	x	x				
25x25	x	x	x	x			
30x30		x	x	x			
35x35		x	x	x			
40x40		x	x	x	x		
45x45				x			
50x50				x	x		
60x60				x	x		
70x70						x	
80x80					x	x	x
100x100						x	x
20x10		x					
25x15		x					
30x15		x					
30x20		x	x				
40x20		x	x	x			
45x30			x	x			
50x30				x			
60x30				x			
60x40				x	x		
80x40					x	x	
100x50							x

Blanker Sechskant Stahl EN 10277/78 HL 3/3,5 mtr

	6	7	8	9	10	11	12	13	14	17	19	22	24	27	30	32	36	41	46	50	55	60	65	70	75	80	85	90	95
S235JRC+C								x	x	x	x	x	x	x	x	x	x	x	x		x	x							
S355J2C+C														x	x		x	x											
C45+C	x		x		x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x
11SMN30			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
11SMNPB30	x	x										x						x											
42CrMo4+QT+C								x	x	x	x	x	x	x	x	x													

Blanker Rundstahl EN 10277/78

	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	19,98	20	21	22	23	24	24,98	25	26	27	28	
S235JRC+C/SH	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x			x		x	x	x		x	x	x	x	
S355J2C+C/SH				x		x		x		x		x	x	x	x	x		x	x		x		x	x	x	x	x	x	
S355J2C+C/SH+PL h6																										x			
C15+C/SH																										x			
C45+C/SH			x	x		x	x	x		x	x	x	x	x		x			x		x		x		x	x	x	x	
C35+C/SH						x																		x					
11SMN30	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x		x	x	x	x	x		x	x	x	x	
11SMNPB30								x		x			x	x		x			x						x				
C45+C/SH+PL h6				x		x		x		x	x	x	x	x	x	x			x		x		x		x	x		x	
C45+C/SH+PL f7																			x						x				
16MnCr5				x		x		x		x	x	x	x	x		x			x		x				x				
34CrNiMo6+QT																											x		x
42CrMo4+QT				x		x		x		x	x	x	x	x		x			x		x		x		x	x	x	x	
1.4301			x	x		x		x		x		x	x	x		x			x				x		x				
1.4305		x	x	x				x		x		x		x		x			x		x				x				
	29	30	32	34	34,98	35	36	37	38	40	42	45	46	48	50	52	54,98	55	56	58	60	65	70	71	75				
S235JRC+C/SH		x	x			x	x		x	x	x	x			x			x	x		x	x	x						
S355J2C+C/SH		x	x		x	x	x		x	x	x	x	x	x	x	x	x	x			x	x	x		x				
S355J2C+C/SH+PL h6		x				x				x					x						x								
S355J2C+C/SH+PL f7						x																							
C15+C/SH															x									x		x			
C45+C/SH	x	x	x			x	x		x	x	x	x	x	x	x	x		x		x	x	x	x	x	x				
C35+C/SH			x			x				x	x	x			x							x		x					
11SMN30		x	x	x		x	x		x	x	x	x	x	x	x	x		x		x	x	x	x	x		x			
11SMNPB30		x								x		x			x		x				x								
C45+C/SH h6		x	x			x	x			x		x			x				x		x	x	x						
16MnCr5		x								x	x	x			x				x		x		x						
34CrNiMo6+QT										x		x																	
42CrMo4+QT		x				x	x	x	x	x	x	x			x				x		x	x	x		x				
1.4301		x	x			x	x			x		x			x						x								
1.4571		x																											
1.4305		x				x				x		x			x				x		x								

	80	81	85	90	95	96	100	105	110	115	120	125	130	140	145	150	160	170	180	200
S235JRC+C/SH	x				x															
S355J2C+C/SH	x		x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x
C45+C/SH	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x			
11SMN30	x		x	x	x		x		x	x	x		x	x		x	x	x		x
11SMNPB30							x													
C45+C/SH h6	x			x			x		x	x	x									
16MnCr5	x			x			x													
42CrMo4+QT	x		x	x	x		x		x		x									
1.4305							x													

Blanker Vierkant Stahl EN 10277/78

	4	5	6	8	10	12	14	15	16	18	20	22	24	25	28	30	32	35	40	45	50	55	60	65	70	80	90	100	120
S235JRC+C	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
S355J2C+C											x			x		x	x	x	x	x	x	x	x		x	x	x	x	
C45+C											x			x		x	x	x	x	x	x		x		x	x		x	
11SMN30					x	x		x			x			x		x	x	x	x	x	x		x		x	x	x		

Gewalzter Rundstahl EN 100060 / DIN 7527/6

	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	110	115	120	125	130	135	140	145	150	155	160	165	170			
S355J2	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			
S355J2+N		x	x	x	x	x	x		x		x		x	x	x		x		x		x		x		x		x							
C45	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			
C45+N																																		
C60			x	x	x	x	x		x	x	x		x	x	x		x		x		x				x			x						
20MnCR5																							x											
25CrMo4+QT											x																							
30CrNiMo8+QT					x	x	x	x	x	x	x	x	x		x		x		x		x				x		x		x					
34CrNiMo6+QT	x	x	x	x	x	x	x	x	x	x	x		x		x		x		x		x			x		x		x						
34CrAlNi7					x																													
51CrV4+QT												x																						
100Cr6																	x																	
1.2379	x	x	x	x	x	x	x	x	x		x	x	x	x	x		x		x		x		x		x		x		x		x			
42CrMo4+QT	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
16MnCr5	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x

	180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	360	370	380	390	400	410	420	425	430	450	460	480	500				
S355J2	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x			x				
S355J2+N											x	x		x	x	x	x	x	x	x	x		x		x				x				x		
C45	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x			x	x	x				
C45+N			x								x	x	x	x	x		x	x	x		x		x		x			x							
C60	x																																		
20MnCR5																																			
25CrMo4+QT																																			
30CrNiMo8+QT																																			
34CrNiMo6+QT																																			
34CrAlNi7																																			
51CrV4+QT																																			
100Cr6																																			
1.2379																																			
42CrMo4+QT	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x		x	x		x			x				x		
16MnCr5	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x				x		x		x									x		

Gewalzter Vierkantstahl EN 10059

	20	25	30	35	40	45	50	55	60	65	70	80	90	100	120	130	140	150	160	180	200
S355J2	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
42CrMo4	x		x		x	x	x		x		x	x	x	x							
16MnCr5	x	x	x	x	x	x	x		x		x	x	x	x							

Gewalzter Flachstahl S355J2/J0 EN 10058

	20	25	30	35	40	50	60	70	80	90	100	110	115	120	130	140	150	160	180	300	
5				x																	
6			x							x											
8			x		x	x															
10	x	x	x		x	x	x	x	x						x						
12					x				x		x		x								
15	x		x		x	x	x	x	x		x	x		x			x				
20			x		x	x	x	x	x	x	x			x		x			x		
25			x		x	x	x		x		x							x		x	
30					x	x	x	x	x		x			x							x
40						x	x	x	x			x		x	x						
45										x											
50							x	x	x												
70														x							

Gewalzter Flachstahl 16MnCr5 EN 10058

	20	25	30	40	50	60	70	80	90	100	120	150	200
10	x	x	x	x	x	x	x	x					
12	x	x		x				x					
15	x	x	x	x	x	x		x	x		x		
20		x	x	x	x	x	x	x			x	x	x
25			x	x	x	x	x	x		x	x		
30				x	x	x	x	x		x	x		
40					x	x	x	x	x	x	x		
50						x	x	x		x	x		
60								x		x	x		x
70									x				

Gewalzter Flachstahl 42CrMO4+QT EN 10058

	30	40	50	60	70	80	90	100	120
15	x	x	x	x					
20	x	x	x	x	x	x		x	x
25	x			x					
30		x	x	x	x	x			
40				x	x	x			
50							x		
60						x			